

L Number	Hits	Search Text	DB	Time stamp
-	29566	((selecti\$4 or adapt\$6)near4 (coupl\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off))))near4 (power or voltage)	USPAT; US-PGPUB; IBM_TDB	2004/05/05 11:16
-	188	((selecti\$4 or adapt\$6)near4 (coupl\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off))))near4 (power or voltage)) with (time adj (interval or period or span or section))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 13:10
-	1	((selecti\$4 or adapt\$6)near4 (coupl\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off))))near4 (power or voltage)) with (time adj (interval or period or span or section)) same (data adj carrier)	USPAT; US-PGPUB; IBM_TDB	2004/05/05 08:56
-	2	((selecti\$4 or adapt\$6)near4 (coupl\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off))))near4 (power or voltage)) with (time adj (interval or period or span or section)) same ((process\$4 or consum\$6) adj3(time adj (interval or period or span or section)))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 09:07
-	2	((selecti\$4 or adapt\$6)near4 (coupl\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off))))near4 (power or voltage)) with ((process\$4 or consum\$6) adj3(time adj (interval or period or span or section)))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 11:12
-	1	((selecti\$4 or adapt\$6)near4 (coupl\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off))))near4 (power or voltage)) with (time adj (interval or period or span or section)) and (data adj carrier)	USPAT; US-PGPUB; IBM_TDB	2004/05/05 08:56
-	16	((selecti\$4 or adapt\$6)near4 (coupl\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off))))near4 (power or voltage)) with (time adj (interval or period or span or section)) and (data adj (line or bus or carrier))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 08:57
-	6	((selecti\$4 or adapt\$6)near4 (coupl\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off))))near4 (power or voltage)) with (time adj (interval or period or span or section)) same (data adj (line or bus or carrier))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 08:57
-	32280	((selecti\$4 or adapt\$6)near4 (coupl\$4 or charg\$4 or discharg\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off))))near4 (power or voltage)	USPAT; US-PGPUB; IBM_TDB	2004/05/05 09:05
-	3237	((selecti\$4 or adapt\$6)near4 (coupl\$4 or charg\$4 or discharg\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off))))with (data adj (carrier or line or bus))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 09:19
-	216	((selecti\$4 or adapt\$6)near4 (coupl\$4 or charg\$4 or discharg\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off))))near4 (power or voltage)) with (time adj (interval or period or span or section))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 09:06

-	2	(((((selecti\$4 or adapt\$6)near4 (coupl\$4 or charg\$4 or discharg\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off))))near4 (power or voltage)) with (time adj (interval or period or span or section))) same ((process\$4 or consum\$6) adj3(time adj (interval or period or span or section)))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 09:07
-	1	(((((selecti\$4 or adapt\$6)near4 (coupl\$4 or charg\$4 or discharg\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off))))with (data adj (carrier or line or bus))) with (time adj (interval or period or span or section))) and ((process\$4 or consum\$6) adj3(time adj (interval or period or span or section)))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 09:07
-	2	(((((selecti\$4 or adapt\$6)near4 (coupl\$4 or charg\$4 or discharg\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off))))near4 (power or voltage)) with (time adj (interval or period or span or section))) and ((process\$4 or consum\$6) adj3(time adj (interval or period or span or section)))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 09:07
-	17	(((((selecti\$4 or adapt\$6)near4 (coupl\$4 or charg\$4 or discharg\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off))))with (data adj (carrier or line or bus))) with (time adj (interval or period or span or section)))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 09:19
-	1596	(security or protect\$4 or hack\$4)with (data adj (carrier or line or bus))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 10:03
-	378	((security or protect\$4 or hack\$4)with (data adj (carrier or line or bus))) and ((selecti\$4 or adapt\$6)near4 (coupl\$4 or charg\$4 or discharg\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off))))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 10:06
-	137	((security or protect\$4 or hack\$4)with (data adj (carrier or line or bus))) and ((selecti\$4 or adapt\$6)near4 (coupl\$4 or charg\$4 or discharg\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off)))) and (time adj (interval or period or span or section))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 09:20
-	1	((security or protect\$4 or hack\$4)with (data adj (carrier or line or bus))) and ((selecti\$4 or adapt\$6)near4 (coupl\$4 or charg\$4 or discharg\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off)))) and ((process\$4 or consum\$6) adj3(time adj (interval or period or span or section)))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 10:06
-	5	((security or protect\$4 or hack\$4)with (data adj (carrier or line or bus))) and ((selecti\$4 or adapt\$6)near4 (coupl\$4 or charg\$4 or discharg\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off)))) and ((process\$4 or consum\$6) near5(time adj (interval or period or span or section)))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 09:25
-	1	5998978.pn.	USPAT; US-PGPUB; IBM_TDB	2004/05/05 09:25
-	792	(security or protect\$4 or hack\$4)with ((data adj carrier) or smart\$card or (samrt adj card\$1) or (data adj devic\$2))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 11:13

-	128	((security or protect\$4 or hack\$4)with ((data adj carrier) or smart\$card or (samrt adj card\$1) or (data adj devic\$2))) and ((selecti\$4 or adapt\$6)near4 (coupl\$4 or charg\$4 or discharg\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off))))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 11:06
-	1	((security or protect\$4 or hack\$4)with ((data adj carrier) or smart\$card or (samrt adj card\$1) or (data adj devic\$2))) and ((selecti\$4 or adapt\$6)near4 (coupl\$4 or charg\$4 or discharg\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off)))) and ((process\$4 or consum\$6) adj3 (time adj (interval or period or span or section)))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 10:11
-	3	((security or protect\$4 or hack\$4)with ((data adj carrier) or smart\$card or (samrt adj card\$1) or (data adj devic\$2))) and (((selecti\$4 or adapt\$6)near4 (coupl\$4 or charg\$4 or discharg\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off))))same (time adj (interval or period or span or section)))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 10:07
-	28	((security or protect\$4 or hack\$4)with ((data adj carrier) or smart\$card or (samrt adj card\$1) or (data adj devic\$2))) and ((selecti\$4 or adapt\$6)near4 (coupl\$4 or charg\$4 or discharg\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off)))) and ((time adj (interval or period or span or section)))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 11:06
-	1	((security or protect\$4 or hack\$4)with ((data adj carrier) or smart\$card or (samrt adj card\$1) or (data adj devic\$2))) and (((selecti\$4 or adapt\$6)near4 (coupl\$4 or charg\$4 or discharg\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off))))with (external adj4 (supply or voltage)))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 10:35
-	12	((security or protect\$4 or hack\$4)with ((data adj carrier) or smart\$card or (samrt adj card\$1) or (data adj devic\$2))) and ((coupl\$4 or charg\$4 or discharg\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off))))with (external adj4 (supply or voltage)))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 10:56
-	1	5754462.pn.	USPAT; US-PGPUB; IBM_TDB	2004/05/05 10:58
-	1	5241160.pn.	USPAT; US-PGPUB; IBM_TDB	2004/05/05 11:00
-	1	4827111.pn.	USPAT; US-PGPUB; IBM_TDB	2004/05/05 11:02
-	1	4650891.pn.	USPAT; US-PGPUB; IBM_TDB	2004/05/05 11:03
-	1	4650981.pn.	USPAT; US-PGPUB; IBM_TDB	2004/05/05 11:04
-	0	46614861.pn.	USPAT; US-PGPUB; IBM_TDB	2004/05/05 11:05
-	1	4614861.pn.	USPAT; US-PGPUB; IBM_TDB	2004/05/05 11:05

-	4	((security or protect\$4 or hack\$4)with ((data adj carrier) or smart\$card or (samrt adj card\$1) or (data adj devic\$2))) and ((coupl\$4 or charg\$4 or discharg\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off))))with (external adj4 (supply or voltage)))) and ((time adj (interval or period or span or section)))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 11:06
-	2	((selecti\$4 or adapt\$6)near4 (coupl\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off))))near4 (power or voltage)) with (time adj (interval or period or span or section))) and ((process\$4 or consum\$6) adj3(time adj (interval or period or span or section)))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 11:12
-	2	((selecti\$4 or adapt\$6)near4 (coupl\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off))))near4 (power or voltage)) with (time adj (interval or period or span or section))) and ((data adj carrier) or smart\$card or (samrt adj card\$1) or (data adj devic\$2))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 11:14
-	1	((selecti\$4 or adapt\$6)near4 (coupl\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off))))near4 (power or voltage)) with (measur\$5 near3 (time adj (interval or period or span or section)))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 11:17
-	2	((selecti\$4 or adapt\$6)near4 (coupl\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off))))near4 (power or voltage)) same (measur\$5 near3 (time adj (interval or period or span or section)))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 11:17
-	8	((security or protect\$4 or hack\$4)with ((data adj carrier) or smart\$card or (samrt adj card\$1) or (data adj devic\$2))) and (((selecti\$4 or adapt\$6)near4 (coupl\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off))))near4 (power or voltage))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 13:04
-	5	((contact\$bound or (contact adj bound))adj communicati\$3)and (external near4 (power or voltage or supply))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 13:34
-	46799	235/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2004/05/05 13:44
-	0	235/\$.ccls. and (((selecti\$4 or adapt\$6)near4 (coupl\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off))))near4 (power or voltage)) with (time adj (interval or period or span or section)))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 13:11
-	46	235/\$.ccls. and (((coupl\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off))))near4 (power or voltage)) with (time adj (interval or period or span or section)))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 13:11
-	0	((contact\$bound or (contact adj bound))adj communicati\$3)and (external near4 (power or voltage or supply))	EPO; JPO; DERWENT	2004/05/05 13:42
-	6	((data adj carrier) or smart\$card or (samrt adj card\$1) or (data adj devic\$2))) and ((coupl\$4 or charg\$4 or discharg\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off))))with (external adj4 (supply or voltage)))	EPO; JPO; DERWENT	2004/05/05 13:58

-	7	((data adj carrier) or smart\$card or (samrt adj card\$1) or (data adj devic\$2)) and ((coupl\$4 or charg\$4 or discharg\$4 or decoupl\$4 or connect\$4 or disconnect\$4 or turn\$6 or (turn\$4 adj (on or off))))same (external adj4 (supply or voltage)))	EPO; JPO; DERWENT	2004/05/05 13:42
-	0	595241.pn.	USPAT; US-PGPUB; IBM_TDB	2004/05/05 13:48
-	1	5881199.pn.	USPAT; US-PGPUB; IBM_TDB	2004/05/05 13:45
-	1	5045770.pn.	USPAT; US-PGPUB; IBM_TDB	2004/05/05 13:45
-	1	4881199.pn.	USPAT; US-PGPUB; IBM_TDB	2004/05/05 13:45
-	1	5495241.pn.	USPAT; US-PGPUB; IBM_TDB	2004/05/05 13:55
-	1	5563779.pn.	USPAT; US-PGPUB; IBM_TDB	2004/05/05 13:55
-	418	((data adj carrier) or smart\$card or (samrt adj card\$1) or (data adj devic\$2)) with (power\$3 or depower\$3)	EPO; JPO; DERWENT	2004/05/05 13:59
-	770	((data adj carrier) or smart\$card or (samrt adj card\$1) or (data adj devic\$2)) with (power\$3 or depower\$3)	USPAT; US-PGPUB; IBM_TDB	2004/05/05 13:59
-	1	((data adj carrier) or smart\$card or (samrt adj card\$1) or (data adj devic\$2)) with (power\$3 or depower\$3) same ((decoupl\$3 or disconnect\$4 or isolat\$4)with (time adj (interval or period)))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 14:01
-	2	((data adj carrier) or smart\$card or (samrt adj card\$1) or (data adj devic\$2)) with (power\$3 or depower\$3) and ((decoupl\$3 or disconnect\$4 or isolat\$4)with (time adj (interval or period)))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 14:02
-	3	((decoupl\$3 or disconnect\$4 or isolat\$4)near6 (external adj (power or voltage or supply)) with (time adj (interval or period)))	USPAT; US-PGPUB; IBM_TDB	2004/05/05 14:45
-	1	6424961.pn.	USPAT; US-PGPUB; IBM_TDB	2004/05/05 14:46